



**Measurement/Verification/Inspection Solutions for...**

**Semiconductor,  
Compound  
Semiconductor,  
and High Purity  
Liquid /Gas  
Delivery  
Systems**

**Proven  
Ultrasonic  
Technology**



**COSENSE INC**

**Visit Our Website: [WWW.COSENSE.COM](http://WWW.COSENSE.COM)**

# application guidelines

## DISCRETE LIQUID LEVEL SENSORS

LL-01, LL-10, LL-108, SL-601, SL-612, SL-630, SL-900, AD-101

- No moving parts eliminate particle generation
- Economical price suitable for OEM usage.
- 316LSS construction
- Electro polish to 10 URA
- Mounting options include NPT, VCR, sanitary fitting
- Miniature size offers minimal liquid displacement
- Up to 8 actuation levels per sensor
- Non-Invasive clamp-on sensor requires no coupling media
- Inline/Integral sensor with pipe/tube prevents contamination to ultra pure solvents
- Available with a variety of input/output configurations
- Bubble detection in coolant line
- Leak detection in double wall/pipe container/sump well
- SL-630 Non-Invasive disposable/reusable clamp-on sensor for plastic bottles

## CONTINUOUS LIQUID LEVEL TRANSMITTERS

SL-710, SL-720, SL-730

- 316LSS Construction
- Electro polish to 10 URA for high purity solvents, photo resists, specialized chemicals, DI water
- No moving parts eliminate particle generation
- Mounting options include NPT, VCR, sanitary fitting
- Through Liquid Sensor offers minimal liquid displacement; Through Air Sensor no liquid displacement
- Available with a variety of analog outputs (4-20 mA, 0-10V, 0-5V)
- PC compatible RS-232 port
- SL-730 Bottom-Up Transmitter with dry coupled non-invasive sensor

## processing applications:

### Chemical Delivery Systems Acid and Solvent Tanks

- Monitor level of aqueous chemicals
- Solvent/Photoresist canister level control
- Monitor sulfuric acid in tank
- Deionized water tank level
- Monitor high purity solvents



### Wafer Preparation/ Etching Equipment

- Monitor DI water level
- Coolant level/air bubble monitor
- Level control of high purity chemicals



### Ion Implant System Cleaning Equipment/Pump Protection Recirculator/Gas Scrubber

- Leak detection
- Coolant level
- Drain line level



### Deposition Equipment (CVD/PVD)

- Use on cooling line around deposition chamber
- Monitor coolant tank level
- Monitor TEOS level



## sensor selection:

LL-01	Miniature Level Switch
LL-10	Standard Level Switch
LL-108	Cryogenic Sensor/Level Switch
SL-601	Non-Invasive Clamp-on Sensor
SL-612	Integral removable Clamp-on Sensor
SL-630	Non-Invasive Disposable /Reusable Level Switch
SL-900	Invasive Tube-In-Tube / Gap Type Multi-Point Switch
SL-710	Level Transmitter - through liquid
SL-720	Level Transmitter - through air
SL-730	Bottom-Up Transmitter with dry coupled sensor
AD-101	Air-Bubble Detector

## Wafer Profile / Alignment / Flatness / Counting / Position Safety

ML-101 Micromasurement Single/Multi Channel RS-232, 4-20 mA, alarm relays, accurate to  $\pm 0.0002''$  ( $\pm 0.005\text{mm}$ )

For application assistance call toll-free at:  
1-800-456-9994 or e-mail [sales@cosense.com](mailto:sales@cosense.com)

## Switch:

LL-01




LL-10



LL-108



## Clamp-on:



SL-601  
Non-Invasive

SE-601



SL-612



## Level Transmitter:

Through  
Liquid

SL-710



SL-730



Through  
Air

SL-720



## Single & Multiple Point Level:


SL-900 Series



SL-630




## Air Bubble Detector & Leak Detector:





## Micromasurement System:


ML101: Single/Multi Channel  
- RS232, 4-20mA, Optical Solid State Relay  
Accurate to  $\pm 0.0002''$  ( $\pm 0.005\text{mm}$ )



Micro Chip Making




Micro Chip Making



Wafer Manufacturing

Wafer Manufacturing



Wafer Manufacturing

## Product/Application Matrix



Discre

Process	Application	LL01	LL10	LL108
Chemical delivery systems Acid and solvent tanks	Monitor level of aqueous chemicals	●	●	●
	Solvent/Photoresist canister level control	●	●	●
	Monitor sulfuric acid in tank	●	●	●
	Deionized water tank level	●	●	●
	Monitor high purity Solvents	●	●	●
Ion implant system cleaning equipment	Leak detection	●		
Pump protection recirculator	Coolant level	●	●	●
Gas scrubber	Drain line level	●	●	●
CVD/PVD/ALD	Use on cooling line			
	Monitor coolant tank	●	●	●
	Monitor TEOS level	●	●	●
	DRAM chip-making equipment	●		
Wafer Profile	Alignment/ Flatness/counting/Position			
	Thickness, buckling, gripping			
Wafer preparation/Etching Equipment	Monitor DI water level	●	●	●
Diffusion Furnances	Coolant level/Air Bubble Monitor			
	Level control of High Purity chemicals	●	●	●
In Plant	Coolant fluid level monitoring	●	●	●
	Monitor sulfuric acid in daytanks	●	●	●
	Monitor High purity solvents	●	●	●




Lab Tech Adjusting Machinery

Wafer Lapping and Polishing



Wafer Probe Test




Silicone Wafer Manufacturing

Passivation



Scientists in Wafer Laboratory

Scientists in Wafer Laboratory



Passivation

Passivation



ete Liquid Level Sensors

Continuous Transmitters Invasive/Non Invasive

	SL-601/612	SL-900	SL-630	AD-101	SL-710	SL-720	SL-730	ML-101
		●	●		●	●	●	●
		●	●		●	●	●	●
		●	●		●	●	●	●
		●	●		●	●	●	●
		●	●		●	●	●	●
				●				
	●	●	●	●	●	●		●
				●				
	●	●		●	●			
	●			●	●	●	●	●
	●			●	●	●	●	●
					●	●		●
								●
								●
	●	●	●	●	●	●	●	
	●			●				
		●	●	●	●	●		
		●	●	●	●	●	●	●
		●	●	●	●	●	●	●
		●	●	●	●	●	●	●


Electronics Manufacturing




Wafer Cleaning



Chemical Wafer Deposition



Hard Disk Drive



Printed Circuit Board

## In semiconductor manufacturing you do not need catalog items you need a partner!

The Cosense philosophy is to provide **solutions**, not off the shelf items.

Our commitment is to service, support and complete customer satisfaction.

- 50 years of combined design and manufacturing experience in the realm of ultrasonic liquid level sensing
- Broadest line of liquid level sensors for semiconductor manufacturing, using proven ultrasonic technology
- Ability to design **new sensors** to address customer specific applications
- Custom engineering and prototypes
- Largest selection of **sensor materials** available
- High pressure point level sensors rated up to **+5,000 psig (345 bars)**
- Sensors rated from cryogenic temperature **-300°F (-184°C) to over +500°F (260°C)**
- Continuous micro-measurement systems accurate to **±0.0002" (±0.005mm)**, for higher accuracy consult factory
- Non-invasive Sonic Eye® - point level

*Our semiconductor specialists are ready to discuss your Sensor requirements, so do not hesitate to give us a call toll-free at...*

**1-800-456-9994** or email [sales@cosense.com](mailto:sales@cosense.com)

## Cosense Is The Industry Leader In Ultrasonic Technology!

*All products are state-of-the-art, yet each year Cosense has introduced "customer requested" features that have thrust the technology to a higher level.*

*If we don't have a standard product to fit your application we will make it. **Cosense** is determined to become your preferred sensor supplier.*



**COSENSE INC**

155 Ricefield Lane, Hauppauge, NY 11788-2007

Tel: 1-631-231-0735 • Fax: 1-631-231-0838

website: [www.cosense.com](http://www.cosense.com) e-mail: [sales@cosense.com](mailto:sales@cosense.com)